

## SORBIC ACID POWDER

### SECTION 1: PRODUCT IDENTIFICATION

**Product Name:** SORBIC ACID POWDER  
**Product Code:** TBF 2732  
**CAS#:** Not available  
**Synonym:** Not available  
**Chemical Name:** Not available.  
**Chemical Formula:** Not available  
**Formula Weight:** Not available

### SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

**Composition:**

**Name:** Sorbic acid powder

**Toxicological Data on Ingredients:** Skin Irrit. 2; Eye Irrit. 2; H315, H319

### SECTION 3: HAZARDS IDENTIFICATION

**Classification of the substance or mixture:**

Classification according to Regulation (EC) No 1272/2008

**Potential Acute Health Effects:**

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

**Potential Chronic Health Effects:** Not available

**Mutagenic Effects:** Not available.

**Teratogenic Effects:** Not available.

**Developmental Toxicity:** Not available.

**Specific target organ toxicity -** Not available.

### SECTION 4: FIRST AID MEASURES

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

**Skin Contact:** Wash off immediately with soap and plenty of water. Cover the irritated skin with emollient. Immediate medical attention is required.

**Serious Skin Contact:** Not available.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Serious Inhalation:** Not Available.

**Ingestion:** Do Not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

### SECTION 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Special hazards arising from the substance or mixture**



Carbon oxides  
Combustible.  
Vapors are heavier than air and may spread along floors.  
Forms explosive mixtures with air on intense heating.  
Development of hazardous combustion gases or vapours possible in the event of fire.

**Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions**

Do not let product enter drains.

**Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions. Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

**Storage conditions:** Tightly closed. Dry.

Recommended storage temperature 2 - 8 °C

**Storage class:**

Storage class (TRGS 510): 13: Non Combustible Solids

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

**Respiratory protection**

Respiratory protection is not required. If protection from nuisance levels of dusts are desired, use type N95 or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state and appearance</b>	:	Crystalline
<b>Odor</b>	:	Not available
<b>Color</b>	:	White
<b>Molecular Weight</b>	:	Not available
<b>pH</b>	:	Not available
<b>Boiling Point</b>	:	Not available
<b>Melting Point</b>	:	132 - 135 °C - lit



Critical Temperature	:	Not available
Specific Gravity	:	Not available
Vapor Pressure	:	Not available
Vapor Density	:	Not available
Volatility	:	Not available
Odor Threshold	:	Not available
Water/Oil Dist. Coeff.	:	Not available
Ionicity (in Water)	:	Not available
Dispersion Properties	:	Not available
Solubility	:	Not available

#### SECTION 10: STABILITY AND REACTIVITY DATA

**Stability:** The product is chemically stable under standard ambient conditions (room temperature) **Instability**

**Temperature:** Not available

**Conditions of Instability:** Light. Strong heating.

**Incompatibility with various substances:** Strong oxidizing agents

**Special Remarks on Corrosivity:** Non-corrosive.

**Special Remarks on Reactivity:** Not available

**Possibility of hazardous reactions:** Violent reactions possible with: Strong oxidizing agents Bases

**Hazardous decomposition products:** In the event of fire

#### SECTION 11: TOXICOLOGICAL INFORMATION.

**Acute Toxicity:**

LD50 Oral - Rat - male and female - 10.500 mg/kg

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

**Inhalation:** Not available

**Dermal:** Not available

**Routes of Entry:** Not available

**Toxicity to Animals:** Not available

**Chronic Effects on Humans:** Not available

**Other Toxic Effects on Humans:** Not available.

**Special Remarks on Toxicity to Animals:** Not available

**Special Remarks on other Toxic Effects on Humans:** Not available

**Reproductive toxicity:** Not available

#### SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity:**

Toxicity to fish semi-static test LC50 - *Oryzias latipes* - 75 mg/l - 96 h

Toxicity to daphnia static test EC50 - *Daphnia magna* (Water flea) - 70 mg/l - 48 h

and other aquatic

invertebrates

Toxicity to algae static test ErC50 - *Pseudokirchneriella subcapitata* (green algae) - 77mg/l - 72 h

Toxicity to bacteria static test NOEC - activated sludge - > 100 mg/l - 3 h

**BOD and COD:**

Not available

**Biodegradability :** Biodegradability aerobic - Exposure time 28 d

Result: 74,9 % - Readily biodegradable

**Toxicity of the Products of Biodegradation:**

Not available



Special Remarks on the Products of Biodegradation: Not Available

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

### SECTION 14: TRANSPORT INFORMATION

**UN number:**

**ADR/RID:**

**IMDG:**

**IATA:**

**UN proper shipping name**

**ADR/RID:** Not dangerous goods

**IMDG:** Not dangerous goods

**IATA:** Not dangerous goods

**Transport hazard class (es):**

**ADR/RID:**

**IMDG:**

**IATA:**

**Packaging group:**

**ADR/RID:**

**IMDG:**

**IATA:**

**Environmental hazards:**

**ADR/RID:** No

**IMDG Marine pollutant:** No

**IATA:** No

### SECTION 15: REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

### SECTION 16: OTHER INFORMATION

**References: Full text of H AND R-Statements:**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Other Special Considerations:** Not available

The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the information for their particular purpose.

