

TS 212 – SALENRICH SELECTIVE SUPPLEMENT

INTENDED USE

For two-step enrichment of sub-lethally injured Salmonellae from food and feeds.

COMPOSITION

| Ingredients | Concentration |
|-------------------------|---------------|
| Potassium tetrathionate | 5g |
| Ox bile | 2g |
| Brilliant green | 0.0175g |

(per vial sufficient for 250 ml medium)

Applied in Medium










TM 1606 - SALENRICH BROTH

INSTRUCTION FOR USE

Rehydrate the contents of 1 vial with 25 ml sterile distilled water. Aseptically add 1 ml each of reconstituted SalEnrich Selective Supplement to 10 ml of TM 1606 - SALENRICH BROTH at secondary selective enrichment stage. Allow to stand for 30 minutes. Shake vigorously and then incubate further for 18-22 hours at 35-37°C. For further detection of *Salmonella*, streak a sample onto appropriate selective media.

STORAGE

Vials should be stored in sealed container at 2-8°C.

| | | | | |
|---|---|--|--|---|
|  GMP Good Manufacturing Practices Certified |  Best Before |  QTY. Quantity |  REF Catalogue Number |  Manufacturer |
|  Temperature Unit |  LOT/ B. NO. Lot / Batch Number |  Consults Instructions for Use |  QR Code | |

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only
Revision: 3 March., 2022