

TS 310 – MYCOPLASMA SELECTIVE SUPPLEMENT

INTENDED USE

Supplement for the isolation of *Mycoplasma*.

COMPOSITION

Ingredients	Concentration
Dextrose	1.80grams
Yeast extract	0.36 grams
Thallium acetate	0.036grams
Penicillin G	3,60,000 units

(Per vial sufficient for 1000 ml medium)

Applied in Medium

TM 2404 - TRYPTOSE SERUM AGAR BASE













TM 2405 - TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE)

INSTRUCTION FOR USE

Rehydrate the contents of one vial with 5 ml sterile distilled water and aseptically add to 1000 ml of TM 2404 - TRYPTOSE SERUM AGAR BASE / TM 2405 - TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE) along with 130ml of pig serum, inactivate at 56°C for not more than 30 minutes.

STORAGE

Vials should be stored in sealed container at 2-8°C.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative <small>MedWor GmbH Siedestraße 15 48143 Münster, Germany</small>	 European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

***For Lab Use Only**
Revision: 7 March., 2022