

# TMP 002GT – CETRIMIDE AGAR PLATE (γ- IRRADIATED) (TRIPLE PACK)

#### **INTENDED USE**

For selective isolation of *Pseudomonas aeruginosa* from pharmaceutical product and clinical specimens.

#### PRODUCT SUMMARY AND EXPLANATION

CETRIMIDE AGAR PLATE is used for the selective isolation of *Pseudomonas aeruginosa* from samples. The medium contains quaternary ammonium, cationic detergent compound like Cetrimide which has a property to inhibit all the bacteria except *P. aeruginosa* thus making the medium selective for *Pseudomonas aeruginosa*. Cetrimide causes release of nitrogen and phosphorus from bacterial cells other than *P. aeruginosa*.

The media are gamma irradiated in the packaging material to assure a reduction of the microbial load potentially present in the medium, on the dishes, and on the packaging materials.

#### **COMPOSITION**

Ingredients	Gms / Ltr		
Pancreatic digest of gelatin	20.00		
Agar	15.00		
Potassium sulphate	10.00		
Magnesium chloride	1.40		
Cetrimide	0.30		

# **PRINCIPLE**

Pancreatic digest of gelatin is a source of carbon and nitrogen for the growth of microorganisms. Agar is a solidifying agent. Magnesium chloride and Potassium sulphate stimulates the bacterium to produce and secrete a pigment called pyocyanin due to which the colony colour turns light green, and also they forms a grape like odour due to production of aminoacetophenone. These are the typical characteristics that help isolating P.aeruginosa using cetrimide agar base. On incubation of plates in an inverted position (agar side up) at 35 ± 2°C for 18-48 hours of P.aeruginosa showed profuse growth whereas strain of E.coli inhibits the growth in this medium. If the cfu/ml is high then the test sample can be directly inoculated onto this cetrimide medium.

## **INSTRUCTION FOR USE**

Either streak, inoculate or surface spread the test inoculum aseptically on the plate.

## **QUALITY CONTROL SPECIFICATIONS**

Appearance: Light Amber colored mediumQuantity of Medium: 25ml of medium in 90mm plates.

pH (at 25°C) : 7.2±0.2

Sterility Check : Passes release criteria

**Dose of irradiation** : 15.0-25.0 kGy

#### **INTERPRETATION**

Cultural characteristics observed after an incubation.

Microorganism	ATCC	Inoculum (CFU/ml)	Growth	Recovery	Color of the Colony	Incubation Temperature	Incubation Period
---------------	------	----------------------	--------	----------	------------------------	---------------------------	----------------------













## **PRODUCT DATA SHEET**

Pseudomonas aeruginosa	27853	50-100	Good	>40-50 %	Yellow green	35-37°C	18-72 Hours
Pseudomonas aeruginosa	9027	50-100	Good	>40-50 %	Yellow green	35-37°C	18-72 Hours
Escherichia coli	25922	≥1000	Inhibited	0 %	-	35-37°C	18-72 Hours
Staphylococcus aureus	25923	≥1000	Inhibited	0 %	-	35-37°C	18-72 Hours

#### **PACKAGING:**

Triple layered packing containing 5 number of plates with one silica gel desiccant bag packed inside it.

#### **STORAGE**

On receipt, store the plates at 15–30 °C. Avoid freezing and overheating. Do not open until ready to use. Prepared plates stored in their original sleeve wrapping until just prior to use may be inoculated up to the expiration date and incubated for recommended incubation times. Allow the medium to warm to room temperature before inoculation.

Product Deterioration: Do not use plates if they show evidence of microbial contamination, discoloration, drying, cracking or other signs of deterioration.

#### **DISPOSAL**

After use, prepared plates, specimen/sample containers and other contaminated materials must be sterilized before discarding.

### **REFERENCES**

- 1. King, Ward and Raney, 1954, J. Lab. Clin. Med., 44:301.
- 2. Lowbury, 1951, J. Clin. Pathol., 4:66.
- 3. Lowbury and Collins, 1955, J. Clin. Pathol., 8:47.
- 4. Brown and Lowbury, 1965, J. Clin. Pathol., 18:752.
- 5. Murray P. R., Baron J. H., Pfaller M. A., Jorgensen J. H. and YolkenR. H., (Ed.), 2003, Manual of Clinical Microbiology, 8th Ed., American Society for Microbiology, Washington, D.C.
- 6. USFDA Bacteriological Analytical Manual, 2005, 18th Ed., AOAC, Washington, DC.
- 7.Forbes B. A., Sahm A. S. and Weissfeld D. F., Bailey & Scotts Diagnostic Microbiology, 10th Ed., 1998, Mosby, Inc., St. Louis, Mo.
- 8. Williams, (Ed.), 2005, Official Methods of Analysis of the Association of Official Analytical Chemists, 19th Ed., AOAC, Washington, D.C.

























**NOTE:** Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

\*For Lab Use Only

Revision: 22<sup>nd</sup> March. 2022





